ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE REGULATORY CONTACT RECORD

Date/Time:

December 1, 2004 / 8:00 a.m.

Site Contact(s):

Warren Seyfert

Phone:

303-966-5925

Jim Floerke

303-966-2850

Randy Leitner

303-966-3537

Regulatory Contact:

Denise Onyskiw

Phone:

303-692-3371

Agency:

Colorado Department of Public Health & Environment

Purpose of Contact: Notification to CDPHE of completion of Sets 6 and 10 in Building 371.

Discussion

This Contact Record documents the completion of Sets 6 and 10 based on the walkdown conducted on December 1, 2004 with Jim Floerke (B371), Randy Leitner (B371), Warren Seyfert (DOE) and Denise Onyskiw (CDPHE).

Set 6:

This contact record documents that Set 6 is complete and that the Site can count this as a completed Milestone. Set 6 includes the Oxide and Residue Tank Vaults (Rooms 3563 and 3559), the Ion Exchange Canyons (Rooms 3553, 3549 and Airlock 3551), the Ion Exchange Valve Maintenance Corridor (Rooms 3543, 3545, 3547, 3555, and 3557), and the Access Corridor (Room 3567). Dismantlement of this set involved the removal and packaging of gloveboxes, tanks, ion exchange columns, and downdraft tables. All gloveboxes, tanks, columns, and downdraft tables have been removed and Set 6 is verified complete.

Set 10:

This contact record documents that Set 10 is complete and that the Site can count this as a completed Milestone. Set 10 includes Rooms 1208, 1210, and 2217 and involved the removal and packaging of Scrubbers D230 A/B, Tank D-715, and storage vault racks. The scrubbers, tank, and racks have been removed and Set 10 is verified complete.

Contact Record Prepared By: Warren Seyfert, RFPO, Project Management

Contact Record 12/1/04

Distribution:

- S. Bell, RFPO
- J. Legare, RFPO
- R. Schassburger, RFPO
- W. Seyfert, RFPO
- D. Kruchek, CDPHE
- D. Onyskiw, CDPHE
- T. Dieter, K-H
- R. Von Feldt, K-H
- J. Floerke, K-H
- C. Gilbreath, K-H
- H. Gilpin, K-H
- R. Leitner, K-H
- D. Shelton, K-H
- K. North, K-H
- L. Brooks, K-H

Administrative Records for B371/374



ADMIN RECORD